

References

- ANDREWS, H., AND HUNT. 1977. *Digital Image Restoration*. The Johns Hopkins University Press.
- APODACA, A. A., AND GRITZ, L. 2000. *Advanced Render-Man: Creating CGI for motion pictures*. Morgan Kaufmann.
- ASHIKHMIN, M., PREMOZE, S., AND SHIRLEY, P. 2000. A Microfacet-Based BRDF Generator. In *Proc. ACM SIGGRAPH*, 65–74.
- ATI. 2000. *Pixel Shader Extension*. Specification document, available from <http://www.ati.com/online/sdk>.
- ATI. 2001. *Vertex Shader Extension*. Specification document, available from <http://www.ati.com/online/sdk>.
- BANKS, D. 1994. Illumination in Diverse Codimensions. In *Proc. SIGGRAPH*, 327–334.
- BASTOS, R., HOFF, K., WYNN, W., AND LASTRA, A. April 1999. Increased Photorealism for Interactive Architectural Walkthroughs. *1999 ACM Symposium on Interactive 3D Graphics*, 183–190.
- BECKMANN, P., AND SPIZZICHINO, A. 1963. *The Scattering of Electromagnetic Waves from Rough Surfaces*. Pergamon Press.
- BERGERON, P. 1985. Shadow Volumes for Non-Planar Polygons. In *Proc. Graphics Interface*, 417–418. Extended abstract.
- BERGERON, P. 1986. A General Version of Crow's Shadow Volumes. *IEEE CG&A* 6, 9 (Sept.), 17–28.
- BISHOP, G., AND WEIMER, D. M. 1986. Fast Phong shading. In *Computer Graphics (SIGGRAPH '86 Proceedings)*, D. C. Evans and R. J. Athay, Eds., vol. 20, 103–106.
- BLINN, J. F., AND NEWELL, M. E. 1976. Texture and reflection in computer generated images. *Communications of the ACM* 19, 542–546.
- BLINN, J. F. 1977. Models of light reflection for computer synthesized pictures. In *Computer Graphics (SIGGRAPH '77 Proceedings)*, 192–198.
- BLINN, J. F. 1978. Simulation of wrinkled surfaces. In *Computer Graphics (SIGGRAPH '78 Proceedings)*, 286–292.
- BLINN, J. 1988. Me and my (fake) shadow. *IEEE CG&A* 8, 1 (Jan.), 82–86.
- BLYTHE, D., GRANTHAM, B., AND KILGARD, M. J. 1999. Lighting and shading techniques for interactive applications. In *SIGGRAPH 1999 Course Notes*.
- BLYTHE, D., GRANTHAM, B., KILGARD, M. J., MCREYNOLDS, T., AND NELSON, S. R. 1999. Advanced graphics programming techniques using OpenGL. In *SIGGRAPH 1999 Course Notes*.
- BOLIN, M. R., AND MEYER, G. W. 1998. A Perceptually Based Adaptive Sampling Algorithm. In *Proc. ACM SIGGRAPH*, 299–310.
- BROTMAN, L., AND BADLER, N. 1984. Generating Soft Shadows with a Depth Buffer Algorithm. *IEEE CG&A* 4, 10 (Oct.), 71–81.
- CABRAL, B., MAX, N., AND SPRINGMEYER, R. 1987. Bidirectional Reflection Functions From Surface Bump Maps. In *Proc. SIGGRAPH*, 273–281.
- CABRAL, B., OLANO, M., AND NEMEC, P. 1999. Reflection space image based rendering. In *Computer Graphics (SIGGRAPH '99 Proceedings)*, 165–170.
- CARR, N. A., AND HART, J. C. 2002. Meshed atlases for real-time procedural solid texturing. *ACM Trans. on Graphics* 21, 2 (April).
- CHIN, N., AND FEINER, S. 1989. Near Real-Time Shadow Generation Using BSP Trees. In *Proc. SIGGRAPH*, vol. 23, 99–106.
- CHRYSANTHOU, Y., AND SLATER, M. 1995. Shadow Volume BSP Trees for Computation of Shadows in Dynamic Scenes. In *SIGGRAPH Symp. on Interactive 3D Graphics*, 45–50.
- COHEN, M., AND WALLACE, J. 1993. *Radiosity and Realistic Image Synthesis*. Academic Press.
- COOK, R. L., AND TORRANCE, K. E. 1981. A reflectance model for computer graphics. *Computer graphics, Aug 1981* 15, 3, 307–316.
- COOK, R. L., CARPENTER, L., AND CATMULL, E. 1987. The REYES image rendering architecture. M. C. Stone, Ed., 95–102. Held in Anaheim, California.
- COOK, R. L. 1984. Shade Trees. In *Proc. SIGGRAPH*, 223–231.
- CROW, F. 1977. Shadow Algorithms for Computer Graphics. In *Proc. SIGGRAPH*, vol. 11, 242–248.
- DANA, K. J., GINNEKEN, B. V., NAYAR, S. K., AND KOENDERINK, J. J. 1999. *Columbia-Utrecht Reflectance and Texture Database*. <http://www.cs.columbia.edu/CAVE/curet/>.
- DEBEVEC, P. E., AND MALIK, J. 1997. Recovering high dynamic range radiance maps from photographs. In *Computer Graphics (SIGGRAPH '97 Proceedings)*, 369–378.
- DEBEVEC, P. E. 1998. Rendering synthetic objects into real scenes: Bridging traditional and image-based graphics with global illumination and high dynamic range photography. In *Computer Graphics (SIGGRAPH '98 Proceedings)*, 189–198.
- DEYOUNG, J., AND FOURNIER, A. 1997. Properties of Tabulated Bidirectional Reflectance Distribution Functions. In *Proc. Graphics Interface*, 47–55.
- DIEFENBACH, P., AND BADLER, N. 1994. Pipeline Rendering: Interactive refractions, reflections and shadows. *Displays: Special Issue on Interactive Computer Graphics* 15, 3, 173–180.
- DIEFENBACH, P., AND BADLER, N. April 1997. Multi-Pass Pipeline Rendering: Realism For Dynamic Environments. *1997 ACM Symposium on Interactive 3D Graphics*, 59–70.

- DIEFENBACH, P. 1996. *Pipeline Rendering: Interaction and Realism through Hardware-Based Multi-pass Rendering*. PhD thesis, Department of Computer and Information Science.
- DUFF, T. 1992. Interval arithmetic and recursive subdivision for implicit functions and constructive solid geometry. In *Proc. ACM SIGGRAPH*, 131–138.
- EBERT, D. S., MUSGRAVE, F. K., PEACHEY, D., PERLIN, K., AND WORLEY, S. 1998. *Texturing and Modeling*, second ed. Academic Press.
- ENGLER, D. R. 1996. VCODE: A Retargetable, Extensible, Very Fast Dynamic Code Generation System. In *Proc. ACM SIGPLAN*, 160–170.
- ERNST, I., RÜSSELER, H., SCHULZ, H., AND WITTIG, O. 1998. Gouraud bump mapping. In *Eurographics/SIGGRAPH Workshop on Graphics Hardware*, 47–54.
- FOURNIER, A. 1992. Normal distribution functions and multiple surfaces. In *Graphics Interface '92 Workshop on Local Illumination*, 45–52.
- FOURNIER, A. 1995. Separating reflection functions for linear radiosity. In *Eurographics Rendering Workshop*, 383–392.
- FREEMAN, W., AND ADELSON, E. 1991. The Design and Use of Steerable Filters. *IEEE Transaction on Pattern Analysis and Machine Intelligence* 13, 9 (Sept.), 891–906.
- FUCHS, H., GOLDFEATHER, J., HULTQUIST, J., SPACH, S., AUSTIN, J., BROOKS, JR., F., EYLES, J., AND POULTON, J. 1985. Fast Spheres, Shadows, Textures, Transparency, and Image Enhancements in Pixel-Planes. In *Proc. SIGGRAPH*, vol. 19, 111–120.
- GOLDMAN, D. B. 1997. Fake fur rendering. *Computer Graphics* 31, Annual Conference Series (Aug.), 127–134.
- GOLUB, G., AND VAN LOAN, C. 1983. *Matrix Computations*. The Johns Hopkins University Press, Baltimore, Maryland.
- GONDEK, J., MEYER, G., AND NEWMAN, J. 1994. Wavelength Dependent Reflectance Functions. In *Proc. ACM SIGGRAPH*, 213–220.
- GOOCH, B., SLOAN, P.-P., GOOCH, A., SHIRLEY, P., AND RIESENFELD, R. 1999. Interactive technical illustration. In *ACM Symposium on Interactive 3D Graphics*, 31–38.
- GORTLER, S., GRZESZCZUK, R., SZELINSKI, R., AND COHEN, M. 1996. The Lumigraph. In *Proc. SIGGRAPH*, 43–54.
- GREENE, N. 1986. Applications of World Projections. In *Proceedings of Graphics Interface '86*, 108–114.
- GRITZ, L., AND HAHN, J. 1996. BMRT: A Global Illumination Implementation of the RenderMan Standard. *Journal of Graphics Tools* 1, 3, 29–47.
- GUENTER, B., KNOBLOCK, T., AND RUF, E. 1995. Specializing shaders. In *Proc. SIGGRAPH*, 343–350.
- HAEBERLI, P., AND AKELEY, K. 1990. The accumulation buffer: Hardware support for high-quality rendering. In *Proc. SIGGRAPH*, 309–318.
- HAEBERLI, P., AND SEGAL, M. 1993. Texture mapping as a fundamental drawing primitive. In *Fourth Eurographics Workshop on Rendering*, 259–266.
- HALL, R. 1989. *Illumination and Color in Computer Generated Imagery*. Springer-Verlag, New York.
- HANRAHAN, P., AND KRUEGER, W. 1993. Reflection from layered surfaces due to subsurface scattering. In *Computer Graphics (SIGGRAPH '93 Proceedings)*, J. T. Kajiya, Ed., vol. 27, 165–174.
- HANRAHAN, P., AND LAWSON, J. 1990. A language for shading and lighting calculations. In *Computer Graphics (SIGGRAPH '90 Proceedings)*, 289–298.
- HANRAHAN, P. 1993. *Radiosity and Realistic Image Synthesis*. Academic Press, ch. Rendering Concepts.
- HANSEN, P. 1997. Introducing pixel texture. In *Developer News*. Silicon Graphics Inc., May, 23–26.
- HART, J. C., CARR, N., KAMEYA, M., TIBBITTS, S. A., AND COLEMAN, T. J. 1999. Antialiased parameterized solid texturing simplified for consumer-level hardware implementation. ACM Press, 45–53. Held in Los Angeles, California.
- HE, X., TORRANCE, K., SILLION, F., AND GREENBERG, D. 1991. A comprehensive physical model for light reflection. In *Proc. SIGGRAPH*, 175–186.
- HEIDRICH, W., AND SEIDEL, H. 1998. Efficient Rendering of Anisotropic Surfaces Using Computer Graphics Hardware. In *Image and Multi-dimensional DSP Workshop (IMDSP)*.
- HEIDRICH, W., AND SEIDEL, H.-P. 1998. View-independent environment maps. In *Eurographics/SIGGRAPH Workshop on Graphics Hardware*, 39–45.
- HEIDRICH, W., AND SEIDEL, H.-P. 1999. Realistic, hardware-accelerated shading and lighting. In *Computer Graphics (SIGGRAPH '99 Proceedings)*.
- HEIDRICH, W., SLUSALLEK, P., AND SEIDEL, H.-P. 1997. An image-based model for realistic lens systems in interactive computer graphics. In *Graphics Interface '97*, 68–75.
- HEIDRICH, W., KAUTZ, J., SLUSALLEK, P., AND SEIDEL, H.-P. 1998. Canned lightsources. In *Rendering Techniques '98 (Proceedings of Eurographics Rendering Workshop)*.
- HEIDRICH, W., SLUSALLIK, P., AND SEIDEL, H. 1998. Sampling procedural shaders using affine arithmetic. *ACM Transactions on Graphics* 17, 3 (July), 158–176.
- HEIDRICH, W., WESTERMANN, R., SEIDEL, H.-P., AND ERTL, T. 1999. Applications of pixel textures in visualization and realistic image synthesis. In *ACM Symposium on Interactive 3D Graphics*. Accepted for publication.
- HEIDRICH, W. 1999. *High-quality Shading and Lighting for Hardware-accelerated Rendering*. PhD thesis, Universität Erlangen-Nürnberg.
- INC., S. G. 1996. *Pixel Texture Extension*, Dec. Specification document, available from <http://www.opengl.org>.

- JENSEN, H., AND CHRISTENSEN, P. 1998. Efficient Simulation of Light Transport in Scenes with Participating Media using Photon Maps. In *Proc. ACM SIGGRAPH*, 311–320.
- KAJIYA, J. T. 1986. The rendering equation. In *Computer Graphics (SIGGRAPH '86 Proceedings)*, 143–150.
- KAUTZ, J., AND MCCOOL, M. 1999. Interactive Rendering with Arbitrary BRDFs using Separable Approximations. In *Tenth Eurographics Workshop on Rendering*, 281–292.
- KAUTZ, J., AND MCCOOL, M. D. 1999. Interactive Rendering with Arbitrary BRDFs using Separable Approximations. In *Eurographics Rendering Workshop*.
- KAUTZ, J., AND MCCOOL, M. D. 2000. Approximation of Glossy Reflection with Prefiltered Environment Maps. In *Proc. Graphics Interface*, 119–126.
- KAUTZ, J., VÁZQUEZ, P.-P., HEIDRICH, W., AND SEIDEL, H.-P. 2000. Unified approach to prefiltered environment maps. In *submitted*.
- KAUTZ, J. 1999. Interactive Reflections with Arbitrary BRDFs. Tech. Rep. TR-99-XX, Dept. Comp. Sci., U. of Waterloo.
- KAUTZ, J. 1999. Hardware Rendering with Bidirectional Reflectances. Tech. Rep. TR-99-02, Dept. Comp. Sci., U. of Waterloo.
- KELLER, A. 1997. Instant Radiosity. In *Proc. SIGGRAPH*, 49–56.
- KESSENICH, J., BALDWIN, D., AND ROST, R. 2003. *The OpenGL Shading Language*, version 1.05 ed. 3Dlabs, Inc. Ltd., February.
- KILGARD, M. 1997. *OpenGL-based Real-Time Shadows*. http://reality.sgi.com/mjk_asd/tips/rts/.
- KILGARD, M. J. 1997. Realizing OpenGL: Two implementations of one architecture. In *Eurographics/SIGGRAPH Workshop on Graphics Hardware*.
- KILGARD, M. J. 2000. A practical and robust bump-mapping technique for today's GPU's. Tech. rep., NVIDIA Corp., Feb. Available at <http://www.nvidia.com/>.
- KOENDERINK, J., VAN DOORN, A., AND STAVERDI, M. 1996. Bidirectional Reflection Distribution Function Expressed in Terms of Surface Scattering Modes. In *European Conference on Computer Vision*, 28–39.
- LAFORTUNE, E., AND WILLEMS, Y. 1994. Using the modified Phong reflectance model for physically based rendering. Tech. Rep. CW197, Dept. Comp. Sci., K.U. Leuven.
- LAFORTUNE, E., FOO, S.-C., TORRANCE, K., AND GREENBERG, D. 1997. Non-linear approximation of reflectance functions. In *Proc. SIGGRAPH*, 117–126.
- LARSON, G. W., RUSHMEIER, H., AND PIATKO, C. 1997. A Visibility Matching Tone Reproduction Operator for High Dynamic Range Scenes. *IEEE Transactions on Visualization and Computer Graphics* 3, 4 (Oct.–Dec.), 291–306.
- LASTRA, A., MOLNAR, S., OLANO, M., AND WANG, Y. April 1995. Real-time programmable shading. *1995 Symposium on Interactive 3D Graphics*, 59–66. ISBN 0-89791-736-7.
- LENGYEL, J. E. 2000. Real-Time Fur. In *Rendering Techniques '00 (Proc. Eurographics Workshop on Rendering)*, Springer, 243–256.
- LEVOY, M., AND HANRAHAN, P. 1996. Light field rendering. In *Proc. SIGGRAPH*, 31–42.
- LEWIS, R. 1993. Making shaders more physically plausible. In *Eurographics Workshop on Rendering*, 47–62.
- LINDHOLM, E., KILGARD, M., AND MORETON, H. 2001. A User-Programmable Vertex Engine. In *Proc. ACM SIGGRAPH*.
- LISCHINSKI, D., AND RAPPOPORT, A. June 1998. Image-based rendering for non-diffuse synthetic scenes. *Nineth Eurographics Workshop on Rendering*, 301–314.
- LITWINOWICZ, P. 1997. Processing images and video for an impressionistic effect. In *Proc. SIGGRAPH*, 407–414.
- LOKOVIC, T., AND VEAH, E. 2000. Deep Shadow Maps. In *Proc. ACM SIGGRAPH*, 385–392.
- LOZANO, R., ET AL. 1986. Colorimetry. Tech. Rep. 15.2, Commision internationale de l'éclairage (CIE).
- MARK, W. R., GLANVILLE, S., AND AKELEY, K. 2003. Cg: A system for programming graphics hardware in a C-like language.
- MCCOOL, M. D., AND HEIDRICH, W. 1999. Texture Shaders. In *Proc. Eurographics/SIGGRAPH Workshop on Graphics Hardware*, 117–126.
- MCCOOL, M. D., ANG, J., AND AHMAD, A. 2001. Homomorphic Factorization of BRDFs for High-Performance Rendering. In *Proc. ACM SIGGRAPH*.
- MCCOOL, M. 1995. Analytic Antialiasing With Prism Splines. In *Proc. SIGGRAPH*, 429–436.
- MCCOOL, M. 1998. Shadow Volume Reconstruction. Tech. Rep. CS-98-06, University of Waterloo Department of Computer Science.
- MCCOOL, M. D. 2000. Shadow Volume Reconstruction from Depth Maps. *ACM Trans. on Graphics* 19, 1 (Jan.), 1–26.
- MCREYNOLDS, T., BLYTHE, D., GRANTHAM, B., AND NELSON, S. 1998. Advanced graphics programming techniques using OpenGL. In *SIGGRAPH 1998 Course Notes*.
- MEYER, G. W. 1988. Wavelength Selection for Synthetic Image Generation. *CVGIP* 41, 57–79.
- MICROSOFT. 2002. *DirectX Graphics Programmers Guide*, DirectX 9 ed. Microsoft Developers Network Library.
- MILLER, G., AND HOFFMAN, R. 1984. Illumination and Reflection Maps: Simulated Objects in Simulated and Real Environments. In *SIGGRAPH '84 Course Notes – Advanced Computer Graphics Animation*.

- MILLER, G. S. P., RUBIN, S., AND PONCELEON, D. June 1998. Lazy Decompression of Surface Light Fields for Precomputed Global Illumination. *Nineth Eurographics Workshop on Rendering*, 281–292.
- MINNAERT, M. 1941. The reciprocity principle in lunar photometry. *Astrophysical Journal* 93 (May), 403–410.
- MITCHELL, D. P. 1990. Robust ray intersection with interval arithmetic. In *Proc. Graphics Interface*, 68–74.
- MÖLLER, T., AND HAINES, E. 1999. *Real-Time Rendering*. A. K. Peters.
- MOLNAR, S., EYLES, J., AND POULTON, J. 1992. PixelFlow: High-speed rendering using image composition. In *Proc. SIGGRAPH*, 231–240.
- NAYAR, S. K. 1997. Catadioptric omnidirectional camera. In *IEEE Conference on Computer Vision and Pattern Recognition*, 482–488.
- NEUMANN, L., AND NEUMANN, A. 1989. Photosimulation: interreflection with arbitrary reflectance models and illuminations. *Computer Graphics Forum* 8, 1 (Mar.), 21–34.
- NORTON, A., ROCKWOOD, A. P., AND SKOLMOSKI, P. T. 1982. Clamping: A method of antialiasing textured surfaces by bandwidth limiting in object space. vol. 16, 1–8.
- OFEK, E., AND RAPPOPORT, A. 1998. Interactive reflections on curved objects. In *Proc. SIGGRAPH*, 333–342.
- OLANO, M., AND LASTRA, A. 1998. A shading language on graphics hardware: The pixelflow shading system. In *Proc. SIGGRAPH*, 159–168.
- OLANO, M. 1999. *A Programmable Pipeline for Graphics Hardware*. PhD thesis, University of North Carolina at Chapel Hill.
- OWENS, J. D., DALLY, W. J., KAPASI, U. J., RIXNER, S., MATTSON, P., AND MOWERY, B. 2000. Polygon Rendering on a Stream Architecture. In *Proc. Eurographics/SIGGRAPH Workshop on Graphics Hardware*, 23–32.
- PEACHEY, D. 1985. Solid texturing of complex surfaces. In *Proc. ACM SIGGRAPH*, 279–286.
- PEERCY, M., AIREY, J., AND CABRAL, B. 1997. Efficient bump mapping hardware. In *Computer Graphics (SIGGRAPH '97 Proceedings)*, 303–306.
- PEERCY, M. S., OLANO, M., AIREY, J., AND UNGAR, P. J. 2000. Interactive multi-pass programmable shading. *Proceedings of SIGGRAPH 2000* (July), 425–432. ISBN 1-58113-208-5.
- PEERCY, M. 1993. Linear Color Representations for Full Spectral Rendering. In *Proc. ACM SIGGRAPH*, 191–198.
- PERLIN, K. 1985. An image synthesizer. *Computer Graphics (Proceedings of SIGGRAPH 85)* 19, 3 (July), 287–296.
- PHONG, B.-T. 1975. Illumination for computer generated pictures. *Comm. ACM* 18, 6 (June), 311–317.
- POULIN, P., AND FOURNIER, A. 1990. A model for anisotropic reflection. In *Proc. SIGGRAPH*, 273–282.
- PRESS, W., TEUKOLSKY, S., VETTERLING, W., AND FLANNERY, B. 1992. *Numerical Recipes in C: The Art of Scientific Computing* (2nd ed.). Cambridge University Press.
- PROUDFOOT, K., MARK, W. R., HANRAHAN, P., AND TZVETKOV, S. 2001. A Real-Time Procedural Shading System for Programmable Graphics Hardware. In *Proc. ACM SIGGRAPH*.
- RASO, M., AND FOURNIER, A. 1991. A Piecewise Polynomial Approach to Shading Using Spectral Distributions. In *Proc. Graphics Interface*, 40–46.
- REEVES, W., SALESIN, D., AND COOK, R. 1987. Rendering Antialiased Shadows with Depth Maps. In *Proc. SIGGRAPH*, vol. 21, 283–291.
- RHOADES, J., TURK, G., BELL, A., STATE, A., NEUMANN, U., AND VARSHNEY, A. 1992. Real-time procedural textures. D. Zeltzer, Ed., vol. 25, 95–100. ISBN 0-89791-467-8.
- ROSSIGNAC, J., AND REQUICHA, A. 1986. Depth-Buffering Display Techniques for Constructive Solid Geometry. *IEEE CG&A* 6, 9, 29–39.
- RUSINKIEWICZ, S. 1998. A new change of variables for efficient BRDF representation. In *Eurographics Workshop on Rendering*, 11–23.
- SALISBURY, M., WONG, M., HUGHES, J., AND SALESIN, D. 1997. Orientable textures for image-based pen-and-ink illustration. In *Proc. SIGGRAPH*, 401–406.
- SCHILLING, A., KNITTEL, G., AND STRASSER, W. 1996. Texram: A smart memory for texturing. *IEEE Computer Graphics and Applications* 16, 3 (May), 32–41.
- SCHLICK, C. 1993. A customizable reflectance model for everyday rendering. In *Eurographics Workshop on Rendering*, 73–84.
- SCHRAMM, M., GONDEK, J., AND MEYER, G. 1997. Light Scattering Simulations using Complex Subsurface Models. In *Proc. Graphics Interface*, 56–67.
- SCHRÖDER, P., AND SWELDENS, W. 1995. Spherical Wavelets: Efficiently Representing Functions on the Sphere. In *Proc. SIGGRAPH*, 161–172.
- SEGAL, M., AND AKELEY, K. 1999. *The OpenGL Graphics System: A Specification (Version 1.2.1)*.
- SEGAL, M., KOROBKIN, C., VAN WIDENFELT, R., FORAN, J., AND HAEBERLI, P. 1992. Fast shadow and lighting effects using texture mapping. In *Computer Graphics (SIGGRAPH '92 Proceedings)*, 249–252.
- SLOAN, P.-P. J., AND COHEN, M. F. 2000. Interactive Horizon Mapping. In *Rendering Techniques '00 (Proc. Eurographics Workshop on Rendering)*, Springer, 281–286.
- SLUSALLEK, P., STAMMINGER, M., HEIDRICH, W., POPP, J.-C., AND SEIDEL, H.-P. 1998. Composite Lighting Simulations with Lighting Networks. *IEEE CG&A* 18, 2 (Mar.), 22–31.
- SMITH, B. 1967. Geometrical shadowing of a random rough surface. *IEEE Trans. Ant. and Propagation AP-15*, 5 (Sept.), 668–671.

- SNYDER, J. M. 1992. Interval analysis for computer graphics. In *Proc. ACM SIGGRAPH*, vol. 26, 121–130.
- SOLER, C., AND SILLION, F. X. 1998. Fast Calculation of Soft Shadow Textures Using Convolution. In *Proc. ACM SIGGRAPH*, 321–332.
- STÜRZLINGER, W., AND BASTOS, R. 1997. Interactive Rendering of Globally Illuminated Glossy Scenes. In *Eighth Eurographics Workshop on Rendering Workshop*, Eurographics, 93–102.
- TRENDALL, C., AND STEWART, A. J. 2000. General Calculations using Graphics Hardware, with Applications to Interactive Caustics. In *Rendering Techniques '00 (Proc. Eurographics Workshop on Rendering)*, Springer, 287–298.
- TUMBLIN, J., AND RUSHMEIER, H. 1993. Tone reproduction for realistic images. *IEEE CG&A* 13, 6 (Nov.), 42–48.
- UPSTILL, S. 1990. *The RenderMan companion: A Programmer's Guide to Realistic Computer Graphics*. Addison-Wesley.
- VEACH, E., AND GUIBAS, L. 1994. Bidirectional Estimators for Light Transport. In *Fifth Eurographics Workshop on Rendering*, 147–162.
- VEACH, E., AND GUIBAS, L. 1995. Optimally Combining Sampling Techniques for Monte Carlo Rendering. In *Proc. SIGGRAPH*, 419–428.
- VLACHOS, A., PETERS, J., BOYD, C., AND MITCHELL, J. L. 2001. Curved pn triangles. *2001 ACM Symposium on Interactive 3D Graphics* (March), 159–166. ISBN 1-58113-292-1.
- VOORHIES, D., AND FORAN, J. 1994. Reflection Vector Shading Hardware. In *Proc. SIGGRAPH*, 163–166.
- WALTER, B., ALPPAY, G., LAFORTUNE, E., FERNANDEZ, S., AND GREENBERG, D. 1997. Fitting virtual lights For non-diffuse walkthroughs. In *Proc. SIGGRAPH*, 45–48.
- WANGER, L. 1992. The effect of shadow quality on the perception of spatial relationships in computer generated imagery. In *SIGGRAPH Symp. on Interactive 3D Graphics*, 39–42.
- WARD, G. 1992. Towards More Practical Reflectance Measurements and Models. In *Graphics Interface '92 Workshop on Local Illumination*, 15–21.
- WARD, G. 1992. Measuring and modeling anisotropic reflection. In *Proc. SIGGRAPH*, 265–272.
- WARD, G. 1994. The RADIANCE lighting simulation and rendering system. In *Proc. ACM SIGGRAPH*, 459–472.
- WESTERMANN, R., AND ERTL, T. 1998. Efficiently using graphics hardware in volume rendering applications. In *SIGGRAPH 98 Conference Proceedings*, Addison Wesley, M. Cohen, Ed., Annual Conference Series, ACM SIGGRAPH, 169–178. ISBN 0-89791-999-8.
- WESTIN, S., ARVO, J., AND TORRANCE, K. 1992. Predicting Reflectance Functions From Complex Surfaces. In *Proc. SIGGRAPH*, 255–264.
- WILLIAMS, L. 1978. Casting curved shadows on curved surfaces. In *Proc. SIGGRAPH*, vol. 12, 270–274.
- WILLIAMS, L. 1983. Pyramidal parametrics. In *Computer Graphics (SIGGRAPH '83 Proceedings)*, 1–11.
- WOO, A., POULIN, P., AND FOURNIER, A. 1990. A Survey of Shadow Algorithms. *IEEE CG&A* 10, 6 (Nov.), 13–32.